





Speak with a sales engineer today.
800 233-1480



#### Speak with a sales engineer today. 800 233-1480 www.uschemicalstorage.com

EZ PLAN PAGE 2 OF 6

## OUR STRENGTH IS YOUR SECURITY

We are America's leading manufacturer of hazardous material storage buildings.

We supply hazmat and chemical storage buildings to many industries. Chemical storage buildings are required in manufacturing, agri-chemical management, medical, military and more.

Our buildings are offered in a wide range of sizes and can be configured to suit your individual needs. Our engineering staff is skilled in modular construction. Every US Chemical Storage Building is built to the highest standards to meet or exceed EPA and other code requirements.



## Why Choose Our Buildings?

- · No-cost building design and consultation
- · No-cost code compliance recommendations
- $\cdot\,$  State approvals available in most states
- · Industrial gauge tubular steel construction
- · 15 year structural warranty
- Continuously-welded 10-gauge and structural steel sump to provide the most secure and longest lasting construction in the industry.
- · UL listed accessories available
- · Leak-proof secondary containment sump
- Gravity air flow vents, mechanical ventilation and fire suppression systems available
- · FM approval available
- · Warnock Hersey approval available
- Standard 5 15 feet widths and lengths up to 61 feet; custom sizes also available.
- $\cdot$  Our knowledgeable sales staff is ready to assist you and provide you with quotes quickly!

## Our Product Line:



CHEMLOC<sup>™</sup> The perfect choice for storage where fire-rated construction is not necessary. Each model is non-combustible waterproof construction.



### **FIRELOC™**

The perfect choice for storage of flammables where a fire-rating is necessary. Each model utilizes 2 hour fire-rated, non-combustible, weatherproof construction per UL 263 & ASTM E-119. Designed to be placed within 10-50 ft. of existing structures.



## 

The perfect choice for storage of flammables requiring a 4 hour fire rating. Each model utilizes non-combustible, weatherproof construction per UL 263 & ASTM E-119. Designed to be placed close to, or even within, existing structures.



### **DRUMLOC™**

The perfect choice for drums. When your hazardous materials need standard protection, this is the choice for simple, secure storage.



### *TURFLOC*™

The perfect choice for storage of agri-chemicals used by turf maintenance professionals. Excellent storage for pesticides, fertilizers and herbicides. Manufactured in four standard sizes, this is an affordable solution. Custom sizes available.

## Satisfied Customers:



For more, visit: www.uschemicalstorage.com/company/clients.html



EZ PLAN PAGE 3 OF 6

## **COMPANY INFORMATION Contact Details**

DATE:	PLANNER'S NAME:
	TITLE:
OFFICE PHONE:	COMPANY:
MOBILE:	INSTALLATION ADDRESS:
EMAIL:	CITY, STATE & ZIP:

E PHONE:	
MOBILE:	
EMAIL:	

# 2 INTENDED USE OF FACILITY Check All That Apply

## Specify Materials To Be Stored

Г	CHEMICAL CLASSIFICATION:	['
1.		
2.		
3.		
4.		
	(Class 3 Flammable Liquids, Class 4.1 Flammable Solid,	(Pes

Class 6.1 Poison, etc.)

#### MATERIAL NAME:

sticide, Lithium/Battery, etc.)

#### CONTAINER TYPE:

(20 lb. Bagged & Palletized, 55 Gallon Drums, 5 Gallon Bucket, Tote Storage Tank, etc.)

#### MAXIMUM CAPACITY:



(Please specify the maximum total quantity to be stored at any given time in the storage unit.)

## FIRE-RATING REQUIREMENTS NON FIRE-RATED: 2-HOUR FIRE-RATED: 4-HOUR FIRE-RATED:



MATERIAL HANDLING REQUIREMENTS HAND TRUCK: FORKLIFT: BY HAND: OTHER:





EZ PLAN PAGE 4 OF 6

#### INSTALLATION DETAILS Site Location & Proximity To Other Facilities **EXTERIOR STORAGE** Designed for storage outside your facility. Check one. **INTERIOR STORAGE** Designed for storage inside your facility. PROXIMITY: 30' OR MORE AWAY : Non-Combustible **EXTERIOR ACCESS POINT:** x x (Distance to existing structures) (Dimensions: Width x Length x Height) 10'-30' AWAY: 2-Hr Fire-Rated 0'-10'AWAY: ( 4-Hr Fire-Rated FACILITY ATTACHED: ( 4-Hr Fire-Rated **STRUCTURAL SPECIFICATIONS Building Sizing And Wall Partitions** TOTAL # OF BUILDINGS: **INTERIOR PARTITIONS:** INTENDED USE OF SPACE: EXTERIOR DIMENSIONS: INTERIOR DIMENSIONS: PARTITION or WALL DIVIDER: WALL: OR PARTITION: 1. х Х OR PARTITION: Х WALL: ( 2. χ WALL: ( OR PARTITION: 3 Х OR PARTITION: WALL: ( 4 Х Х Х Specify Width x Length x Height. Specify Width x Length x Height. If your storage facility requires walls Specify the use of intended building Maximum Exterior Dimensions to Minimum Interior Dimensions to or partitions, please designate this by and/or partitioned space. i.e. Storage, checking one. accommodate your existing facility or accommodate your storage needs. Laboratory, Clean Room... available installation zone space **Existing or Planned Floor Plans** YES, PLANS ARE CURRENT AND AVAILABLE: ( NO PLANS AVAILABLE: **Elevated Floor Options** 1. CHOOSE GRATE OPENING: GALVANIZED GRATING: FIBERGLASS FLOOR GRATING: (Use for corrosive applications) 2. 250 LB. STANDARD FLOOR LOAD. IF YOU REQUIRE MORE, PLEASE SPECIFY: LBS





EZ PLAN PAGE 5 OF 6

LOADING RAMPS:

WATER SPRINKLER SYSTEM:

EXPLOSION RELIEF PANELS:

GAS SENSOR SYSTEMS:

#### **INTEGRATED SYSTEMS** Optional Component Installation Check all that apply to your storage facility needs. INTERIOR LIGHTING: INSULATED SUB-FLOOR UNDER SUMP: EXTERIOR LIGHTING: EYE & FACE WASHING STATION: SHOWER WITH EYE WASHING STATION: DRY CHEMICAL FIRE SUPPRESSION: INTERIOR ELECTRICAL OUTLETS: EXTERIOR ELECTRICAL OUTLETS: SPECIALTY PAINT OR COATINGS:

- CLIMATE CONTROLLED SYSTEM:
  - INTERIOR GROUNDING BAR
- DRUM, PALLET OR TOTE RACKS:
- SPILL CONTAINMENT SHELVING:



- 6" MEETS EPA & FM REQUIREMENTS
- IF 6" OR MORE, PLEASE SPECIFY DEPTH: INCHES, AND EXPLAIN:

## VENTILATION SYSTEMS

PASSIVE VENTILATION OPENINGS (INTAKE AND EXHAUST REQUIRED ON TWO FACING EXTERIOR WALLS)

FORCED AIR VENTILATION SYSTEM (MECHANICAL VENTILATION)

# CUSTOMIZED CLIMATE CONTROL

**AIR CONDITIONING** 

PLEASE LIST TEMPERATURES YOU MUST MAINTAIN:

HEATING





EZ PLAN PAGE 6 OF 6



# ADDITIONAL CONSIDERATIONS Specify Details Define any additional compliance considerations applicable to your storage needs.

## MAKE IT A REALITY Submit Your Plan Today



Save EZ Plan and Email to a U.S. Chemical Storage® Sales Engineer for a Review and Consultation. Email to: info@uschemicalstorage.com



Save EZ Plan and Fax to a U.S. Chemical Storage<sup>®</sup> Sales Engineer for a Review and Consultation. Fax Number: 336 990-0076



Save EZ Plan and Call a U.S. Chemical Storage® Sales Engineer to Discuss Your Storage Needs. Toll Free: 800 233-1480

## THANK YOU

Please take your time to identify and detail your specifications; each detail is crucial to implementing a safe and compliant storage solution designed for your materials, facility and government regulations. If you are unsure of any of the information, just enter what you can and we will be happy to help you to the next step.

## EZ PLAN by U.S. Chemical Storage®

**U.S. Chemical Storage, LLC** 1806 River Street Wilkesboro, NC 28697

800 233-1480 Toll-Free

info@uschemicalstorage.com